# Pioneer Petrotech Services Inc.



## **PPS55 Fast Sampling Gauge**

The **PPS55 Fast Sampling Gauge** offers a great opportunity to catch sharp pressure changes, such as the pressure breaking point for reservoir Fracture or perforation operations. The gauge can record up to 500 data points per second. The large memory capacity of four million data points, allows operators to have sufficient downhole running time during job operations.



Silicon Sapphire

Sensor	Type

#### Pressure

Range-psi	Up to 15 kpsi
Accuracy-psi	± 0.1%
Resolution-psi	0.01
Drift–psi/year	<3

#### Temperature

Rating-°C	150 (302 °F)   177 (351 °F)
Accuracy-°C	± 0.5
Resolution-°C	0.05

#### Characteristics

Service	Sour Services
Power Source	Lithium Battery Pack
Communication	USB / RS232
Data Set	Time / Pressure / Temperature
Max OD-inches	0.75 (19 mm)   1.25 (31 mm)
Overall Length-inches	9 (228 mm)   12 (304 mm)
Housing Material	Inconel 718   Stainless Steel 17-4
Sampling Rate	Up to 500 data sets per second
Memory Capacity	4,000,000 data sets

### **Applications:**

- Stimulation Monitoring
- Injection Pressure Monitoring
- · Perforation Monitoring

